

DTCM111-216-AL

C-mount Bi-telecentric Lens

- Optimized for 1/2.5"~1.1" C-Mount cameras;
- Largest FOV from 26mm upto 300mm;
- Excellent resolution for high pixel cameras;
- Low distortion, good telecentricity, big aperture and big depth of field for high end application.

Optical Specifications		
Magnification (x)	0.085	
Object Field of View (Фmm)	216	
Working Distance (mm)	372±5	
Max Sensor Size (Фmm)	18.4(1.1")	
Best Aperture (F/#)	6.2	
Telecentricity typical (max) (deg)	<0.1	
Distortion typical (max) (%)	<0.1	
MTF30 (lp/mm)	>150	
Depth of Field (mm)	±60.9@F11	



Field of View (mm × mm)		
1" IMX183 (13.13x8.76)		154.5x103.1
1.1" IMX253 (14.19x10.38)		166.9x122.1
Mechanical Specifications		
Mount		С
Length (mm)		538.4
Weight (kg)		13.9
Compatible Lighting		
Telecentric LED Lighting	DTCL-216-xW-y	
	Beam Diameter 216mm	

Notes:

1. Depth of Field is calculated value, this value could be used for imaging test, but to get sharp image in application, half of calculated value is suggested.

928±5

2. Length of I/O = WD + Length + Back Focal Length.

Length of I/O (mm)

